

URINARY S/O



MORSELS IN GRAVY

Available in 85 g

RECOMMENDED DAILY INTAKE & FEEDING DURATION

ADULT CAT	CAT'S WEIGHT (kg)	BODY CONDITION					
		THIN		NORMAL		OVERWEIGHT	
		grams	pouch	grams	pouch	grams	pouch
	2	170	2	140	1 +1/2	110	1 +1/2
	2,5	195	2 +1/2	165	2	130	1 +1/2
	3	225	2 +1/2	185	2	150	2
	3,5	250	3	210	2 +1/2	165	2
	4	275	3	230	2 +1/2	185	2
	4,5	300	3 +1/2	250	3	200	2 +1/2
	5	320	4	270	3	215	2 +1/2
	5,5	345	4	285	3 +1/2	230	2 +1/2
	6	365	4 +1/2	305	3 +1/2	245	3
	6,5	390	4 +1/2	325	4	260	3
	7	410	5	340	4	275	3
	7,5	430	5	360	4	285	3 +1/2
	8	450	5 +1/2	375	4 +1/2	300	3 +1/2
	8,5	470	5 +1/2	390	4 +1/2	315	3 +1/2
	9	490	6	410	5	325	4
	9,5	510	6	425	5	340	4
	10	525	6	440	5	350	4

Urinary S/O is a complete dietetic feed for cats, formulated to dissolve struvite stones and reducing their recurrence through its urine acidifying properties.

RECOMMENDATIONS: It is recommended that a veterinarian's opinion be sought before use. Feed Urinary S/O for 5 to 12 weeks for the dissolution of struvite stones and up to 6 months for the reduction of struvite stone recurrence. Then the cat should be re-evaluated regularly by the veterinarian to assess the relevance of a life long recommendation. Water should be available at all times.

NOTE: in older cats, the use of Urinary S/O Ageing* + Calm is recommended and renal function should be checked before the advice of a new diet.

LOWER URINARY TRACT DISEASE



RECOMMENDED FOR CASES OF

- Struvite uroliths: dissolution and management of recurrence
- Calcium oxalate uroliths: management of recurrence
- Feline idiopathic cystitis (FIC)

NOT RECOMMENDED IN CASE OF

- Chronic Kidney Disease (CKD)
- Heart disease (when sodium restriction is sought)
- Concurrent use of urine-acidifying drugs
- Growth, gestation/lactation



IDIOPATHIC CYSTITIS

Thanks to the high moisture content of wet food, Urinary S/O Feline increases urine dilution. Since nearly 64% of cases of FLUTD* are idiopathic cystitis, the wet diet should be preferred in cases of recurrent cystitis.



STRUVITE DISSOLUTION

Urinary S/O Feline effectively dissolves struvite uroliths.



LOW RSS

Undersaturated urine is an environment where crystals cannot proliferate. Thus the urine is unfavourable to the development of struvite and calcium oxalate crystals.



URINE DILUTION

Diluting urine decreases the urinary concentration of struvites and calcium oxalates. The larger urinary volume also ensures regular bladder wash-out.

[S/O] INDEX This product creates an unfavorable environment to creation of oxalate and struvite uroliths in the urine.

KEY VALUES

	Per 1000 kcal	Per 100g as fed
Protein	119.76 g	10 g
Fat content	41.92 g	3.5 g
Carbohydrate	44.31 g	3.7 g
Crude fibre	11.98 g	1 g
Dietary fibre	14.37 g	1.2 g
Calcium	2.63 g	0.22 g
Phosphorus	2.28 g	0.19 g
Potassium	2.16 g	0.18 g
Sodium	3.59 g	0.3 g
Chloride	5.03 g	0.42 g
Magnesium	0.14 g	0.01 g
Copper	4.55 mg	0.38 mg
Zinc	25.15 mg	2.10 mg
Taurine	1.2 g	0.1 g
Vitamin A	35928.14 IU	3000 IU
Vitamin E	147.31 mg	12.30 mg
Omega 6	8.38 g	0.7 g
Omega 3	1.8 g	0.15 g
EPA + DHA	1.1 g	0.09 g
Metabolisable energy*	84	

*Calculated according to NRC2006.

COMPOSITION

Meat and animal derivatives, cereals, vegetable protein extracts, derivatives of vegetable origin, minerals, oils and fats, various sugars.

ADDITIVES (KG)**

Nutritional additives: Vitamin D3: 225 IU, E1 (Iron): 3 mg, E2 (Iodine): 0.25 mg, E4 (Copper): 2 mg, E5 (Manganese): 1 mg, E6 (Zinc): 10 mg, Sulfur: 0.17%, Urine acidifying substances: calcium sulfate: 0.25%. Technological additives: (acidity regulator) Sodium bisulfate: 0.5 g.

**Values reflect only levels added to the formula, not those naturally occurring in components of the diet.

