

# RENAL SPECIAL



Available in 400 g, 2 kg, 4 kg bags

## RECOMMENDED DAILY INTAKE & FEEDING DURATION

CAT'S WEIGHT (kg)	BODY CONDITION					
	THIN		NORMAL		OVERWEIGHT	
	grams	cups	grams	cups	grams	cups
2	39	3/8	32	3/8	26	2/8
2.5	46	4/8	38	3/8	30	3/8
3	52	4/8	43	4/8	35	3/8
3.5	58	5/8	48	4/8	39	3/8
4	64	5/8	53	4/8	42	4/8
4.5	69	6/8	58	5/8	46	4/8
5	75	6/8	62	5/8	50	4/8
5.5	80	7/8	67	6/8	53	4/8
6	85	7/8	71	6/8	57	5/8
6.5	90	1	75	6/8	60	5/8
7	95	1	79	7/8	63	5/8
7.5	99	1	83	7/8	66	6/8
8	104	1 + 1/8	87	7/8	69	6/8
8.5	109	1 + 1/8	91	1	72	6/8
9	113	1 + 1/8	94	1	75	6/8
9.5	118	1 + 2/8	98	1	78	7/8
10	122	1 + 2/8	102	1 + 1/8	81	7/8

ADULT CAT

Renal diets are recommended as soon as creatinine goes out of reference range (from CKD late stage 2), before the disease further progresses, and before inappetence develops.

In case of food aversion, the cat can be switched to another renal option without transition. On top of renal blood panel, mineral blood panel follow up may be recommended: in case hypercalcemia develops, the cat should be switched to Early Renal diet; other mineral disturbances (eg. hypokaliemia) may require additional treatment.

In most cases, Renal diets may be continued for the cat's lifetime.

## KIDNEY DISEASE



### RECOMMENDED FOR CASES OF

- Azotemic Chronic Kidney Disease (IRIS late stage 2 to stage 4)
- Management of calcium oxalate urolith recurrence in cats with impaired renal function
- Prevention of recurrence of urolithiasis requiring urine alkalinisation: urate & cystine uroliths

### NOT RECOMMENDED IN CASE OF

- Growth, gestation/lactation



#### RENAL SUPPORT

Formulated with low phosphorus and moderate protein of high quality to support renal function and improve the cat's quality of life.



#### ADAPTED ENERGY

Adapted energy content to reduce meal volume and help compensate for a decreased appetite.



#### AROMATIC CHOICE

A specific aromatic profile with a dedicated kibble shape to help stimulate the cat's appetite, particularly in cases of food aversion.

## KEY VALUES

	Per 1000 kcal	Per 100g as fed
Moisture	14.03 g	5.50 g
Protein	66.34 g	26.00 g
Fat content	43.38 g	17.00 g
Crude Fibre	12.25 g	4.80 g
Ash	15.82 g	6.20 g
Carbohydrate (NFE)	103.34 g	40.50 g
Dietary Fibre	27.30 g	10.70 g
Omega 6	8.32 g	3.26 g
Omega 3	2.12 g	0.83 g
EPA + DHA	1.05 g	0.41 g
Calcium	1.61 g	0.63 g
Phosphorus	1.15 g	0.45 g
Sodium	1.02 g	0.40 g
Potassium	2.30 g	0.90 g
Magnesium	0.13 g	0.05 g
Vitamin D	229.65 IU	90.00 IU
Vitamin E	127.58 IU	50.00 IU
Metabolisable energy*		391.90 kcal

\*Calculated according to NRC2006 CF.

Essential Fatty Acids 3.13 % - Chloride 0.76 % - Sulphur 0.5 % - Hydroxyproline 0.86 %.

## COMPOSITION

Maize flour, rice, dehydrated pork protein\*, animal fats, maize gluten, vegetable fibres, maize, hydrolysed animal proteins, minerals, wheat gluten\*, chicory pulp, fish oil, soya oil, mono - and diglycerides of palmitic and stearic acids esterified with citric acid, psyllium husks and seeds, fructo-oligosaccharides, marigold extract (source of lutein). Protein sources: dehydrated pork protein\*, maize gluten, hydrolysed animal proteins, wheat gluten\*.

\*\* L.I.P.: protein selected for its very high digestibility.

## ADDITIVES (KG)\*\*\*

Nutritional additives: Vitamin A: 22500 IU, Vitamin D3: 800 IU, Iron (3b103): 47 mg, Iodine (3b201, 3b202): 4.7 mg, Copper (3b405, 3b406): 15 mg, Manganese (3b502, 3b504): 61 mg, Zinc (3b603, 3b605, 3b606): 147 mg, Selenium (3b801, 3b811, 3b812): 0.08 mg - Technological additives: Clinoptilolite of sedimentary origin: 10 g - Preservatives - Antioxidants.

\*\*\*Values reflect only levels added to the formula, not those naturally occurring in components of the diet.



RENAL SPECIAL

